

SUBSTANCE IDENTITY

Testagen

PHYSICAL FORM

STRENGTH

SKU

No data available.

20 MG

TESTAGEN-020

SAFETY STATUS

Hazard classification has not been established for this record. This does not establish that the material is non-hazardous.

RESEARCH USE ONLY — NOT FOR HUMAN OR VETERINARY USE

01	IDENTIFICATION
PRODUCT NAME	Testagen
SCIENTIFIC NAME	Testagen
PRODUCT IDENTIFIER	TESTAGEN-020
STRENGTH	20 MG
RECOMMENDED USE	Laboratory Research
RESTRICTIONS ON USE	Not for Human or Veterinary Use
SUPPLIER	Rejuveo LLC
02	HAZARD IDENTIFICATION
GHS CLASSIFICATION	Classification has not been established for this record.
SIGNAL WORD	Not established.
HAZARD STATEMENTS	Not established.
The absence of available data does not establish that this material is non-hazardous.	
03	COMPOSITION / INFORMATION ON INGREDIENTS
CHEMICAL IDENTITY	Testagen
PURITY	See Lot-Specific Certificate of Analysis.
04	FIRST-AID MEASURES
INHALATION	Move to fresh air. Obtain medical attention if symptoms occur.
SKIN CONTACT	Wash affected area with soap and water. Remove contaminated clothing.
EYE CONTACT	Rinse cautiously with water for several minutes. Obtain medical attention if irritation persists.
INGESTION	Rinse mouth. Do not induce vomiting. Contact a medical professional or poison center.
Specific symptoms and delayed effects have not been established.	
05	FIRE-FIGHTING MEASURES
SUITABLE EXTINGUISHING MEDIA	Use extinguishing media appropriate for the surrounding fire.
SPECIFIC HAZARDS	No data available.
PROTECTIVE EQUIPMENT	Firefighters should use appropriate protective equipment and self-contained breathing apparatus.
06	ACCIDENTAL RELEASE MEASURES
PERSONAL PRECAUTIONS	Avoid dust or aerosol formation. Avoid contact with eyes, skin, and clothing. Use appropriate personal protective equipment.
ENVIRONMENTAL PRECAUTIONS	Prevent release to drains and the environment.
CLEANUP	Contain the material, collect without generating dust or aerosols, and place in a suitable closed container for disposal.

07	HANDLING AND STORAGE	
HANDLING		Handle using standard laboratory practices. Avoid contact and formation of dust or aerosols.
STORAGE CONDITIONS		Storage conditions have not been established for this record.
INCOMPATIBLE MATERIALS		No data available.
08	EXPOSURE CONTROLS / PERSONAL PROTECTION	
OCCUPATIONAL EXPOSURE LIMITS		Not established.
ENGINEERING CONTROLS		Use appropriate containment and laboratory ventilation for the procedure.
PERSONAL PROTECTION		Use laboratory coat, suitable protective gloves, and safety eyewear. Select respiratory protection through a site-specific risk assessment.
09	PHYSICAL AND CHEMICAL PROPERTIES	
PHYSICAL FORM		No data available.
SOLUBILITY		No data available.
APPEARANCE / ODOR		No data available.
PH / MELTING POINT / BOILING POINT		No data available.
10	STABILITY AND REACTIVITY	
REACTIVITY		No data available.
CHEMICAL STABILITY		Stability has not been established beyond the stated storage conditions.
HAZARDOUS REACTIONS		No data available.
CONDITIONS TO AVOID		Conditions inconsistent with the stated storage requirements.
11	TOXICOLOGICAL INFORMATION	
LIKELY ROUTES OF EXPOSURE		Inhalation, ingestion, eye contact, and skin contact.
ACUTE TOXICITY / LD50		No data available.
CHRONIC EFFECTS		No data available.
The absence of available data does not establish that this material is non-hazardous.		
12	ECOLOGICAL INFORMATION	
ECOTOXICITY		No data available.
PERSISTENCE AND DEGRADABILITY		No data available.
BIOACCUMULATIVE POTENTIAL / MOBILITY		No data available.
13	DISPOSAL CONSIDERATIONS	
DISPOSAL		Dispose of contents and container through a licensed waste service in accordance with applicable local, regional, and national regulations.
14	TRANSPORT INFORMATION	
UN NUMBER		Not established.
TRANSPORT HAZARD CLASS / PACKING GROUP		Not established.
ENVIRONMENTAL HAZARDS		No data available.
Transport classification must be confirmed against the exact material, quantity, packaging, and destination regulations before shipment.		

Users are responsible for identifying and complying with regulations applicable to their jurisdiction and laboratory use.

DOCUMENT ID REJ-SDS-TESTAGEN

Page 3 of 3 · Revised 2026-09-17